





101. Litchi chinensis

• Scientific name: Litchi chinensis

• Marathi name: लिची

• Common name: Lychee, Litchi

• Family: Sapindaceae

Leaf and Arrangement

• Leaves: Pinnate, 10-25 cm or longer.

• Leaflets: 2-4 pairs, glossy, leathery, and dark green.

Fruit

• **Type**: The fruit is an aril.

• **Shape**: Varies from round to ovoid to heart-shaped.

• Colour: Green when immature, ripening to red or pink-red.

• Size: 1-3 cm long and about 0.6-1.5 cm wide.

• Edible Portion: The fleshy part of the fruit is an aril.

• Seed: One dark brown inedible seed.

Flowering and Fruiting Period

• **Flowering**: March to July.

• Fruiting: The fruit ripens from green to red or pink-red during the flowering period.

Bark Structure

• Bark: Grey-black.

• Branches: Brownish-red.

Habitat

• Global Distribution: Found in tropical and subtropical regions.

• Indian Distribution: Predominantly throughout Assam and other parts of North East India.

Uses

1. Edible Fruit: Fresh, canned, or dried

2. Sherbet: Made from fresh fruit juice

3. Medicinal: Leaves, seeds, and bark have medicinal properties

Fun Facts

- 1. **King of Fruits**: Known as the "King of Fruits" in China due to its delicious taste and high nutritional value.
- 2. **Toxins**: Contains hypoglycin A and methylene cyclopropyl-glycin, which can cause hypoglycemia if consumed in large quantities, especially by undernourished children.
- 3. **Pollination**: Mainly pollinated by honey bees.
- 4. **Introduction to the West**: Introduced to Jamaica in 1775 and Florida in 1916







101. Litchi chinensis

• Scientific name: Litchi chinensis

• Marathi name: लिची

• Common name: Lychee, Litchi

• Family: Sapindaceae

पाने आणि संरचना

• पाने: पिननाट, १०-२५ से.मी. किंवा त्याह्न लांब.

• पर्णदले: २-४ जोड्या, चमकदार, कातडीसारखी, आणि गडद हिरवी.

फळे

प्रकार: फळे अरिल आहेत.

• आकार: गोल, अंडाकृती ते हृदयाच्या आकाराचा.

• रंग: अपरिपक्व असताना हिरवे, पिकताना लाल किंवा ग्लाबी-लाल.

• आकार: १-३ से.मी. लांब आणि स्मारे ०.६-१.५ से.मी. रुंद.

• खाण्यायोग्य भाग: फळाचा मांसल भाग अरिल आहे.

बी: एक गडद तपिकरी न खाण्यायोग्य बी.

फुलोरा आणि फळांचा कालावधी

• फुलोरा: मार्च ते ज्लै.

• फळे: फळांचा रंग हिरव्यापासून लाल किंवा गुलाबी-लाल होण्याच्या कालावधीत पिकतात.

सालाची संरचना

• **साल**: राखाडी-काळी.

• फांद्याः तांबूस-लाल.

निवासस्थान

• वैश्विक वितरणः उष्णकटिबंधीय आणि उपउष्णकटिबंधीय प्रदेशांमध्ये आढळतात.

• भारतीय वितरणः आसाम आणि इतर उत्तर-पूर्व भारतामध्ये मुख्यत्वे आढळतात.

उपयोग

1. **खाद्य फळ**: ताजे, कॅन्ड केलेले, किंवा वाळवलेले

2. **शरबत**: ताज्या फळांच्या रसापासून बनवलेले

3. **औषधी**: पाने, बिया, आणि साल औषधी गुणधर्म असलेली

मजेदार तथ्ये

1. **फळांचा राजा**: चीनमध्ये "फळांचा राजा" म्हणून ओळखला जातो त्याच्या स्वादिष्ट चव आणि उच्च पौष्टिक मूल्यांमुळे.

2. विषारी: हायपोग्लिसिन ए आणि मेथिलीन सायक्लोप्रोपिल-ग्लाइसिन असते, जे मोठ्या प्रमाणात खाल्त्यास, विशेषतः कुपोषित मुलांमध्ये, हायपोग्लाइसीमिया होऊ शकते.

3. **परागण**: मुख्यतः मधमाशांद्वारे परागण होते.







4. **पश्चिमेत परिचय**: 1775 मध्ये जमैकामध्ये आणि 1916 मध्ये फ्लोरिडामध्ये परिचित करण्यात आले.







*Image Credit : India Biodiversity Portal

