





# 53. Pavetta siphanantha

Scientific Name: Pavetta siphonantha
 Common Name: Tube-flowered Pavetta

• Marathi Name: मोठी पापटी

• Family: Rubiaceae

### **Leaves and Arrangement**

• Type: Simple

Shape: OblanceolateApex: Obtusely acute

• Texture: Glabrous, except the midrib below

• Nerves: 6 pairs, not prominent

### **Inflorescences**

Type: CymesSize: 5-7 cm broad

• Branches and Pedicels: Hispid

#### **Flowers**

Colour: WhiteSize: 13 mm long

Calyx: 2 mm long, sparsely hairyCorolla Tube: 10 mm long, glabrous

• Lobes: 4 x 2.5 mm, obovate

Style: 2 cm longStigma: Spoon-shaped

• Flowering Period: March to January

#### Fruit

• Fruiting Period: March to January

### Habitat

• **Distribution**: Western Ghats and Sri Lanka

### Uses

- 1. Edible Fruit: Consumed fresh or used in desserts like custard, ice cream, and drinks.
- 2. Traditional Medicine: Used in local traditional medicine practices.
- 3. Ornamental: Cultivated for its attractive flowers and fruit.
- 4. **Commercial Cultivation**: Grown commercially for its edible fruits.

### **Fun Facts**

- 1. **Pollen Structure**: Pollen is shed as permanent tetrads.
- 2. **Fruit Appearance**: The fruit has a quilted appearance due to depressions on its surface.
- 3. Cultivation: The tree can produce fruit within three years of planting.
- 4. **Distribution**: Native to the Caribbean and Central America, now pantropical.
- 5. **Cultural Significance**: Known by various names in different regions, such as bullock's heart and sugar apple







# 53. Povetta siphanantha

Scientific Name: Pavetta siphonantha
 Common Name: Tube-flowered Pavetta

• Marathi Name: मोठी पापटी

• Family: Rubiaceae पाने आणि त्यांची मांडणी

प्रकार: साधी

• **आकार**: उलट अंडाकृती

• टोकः मंद तीव्र

पोशाखः मध्यशिरेखाली गुळगुळीत

• शिरा: ६ जोड्या, ठळक नाहीत

## पुष्पगुच्छ

प्रकार: सायम्स

आकार: ५-७ सेमी रुंद

• शाखा आणि फुलांचे देठ: केसाळ

# फुले

रंग: पांढरा

• **आकार**: १३ मिमी लांब

कॅलिक्स: २ मिमी लांब, विरळ केसाळ

• कोरोल्ला ट्यूब: १० मिमी लांब, ग्ळग्ळीत

• **लोब्स**: ४ x २.५ मिमी, उलट अंडाकृती

• शैली: २ सेमी लांब

• स्तिग्माः चमच्यासारखा

• फुलांचा कालावधीः मार्च ते जानेवारी

### फळ

फळांचा कालावधी: मार्च ते जानेवारी

### निवासस्थान

• वितरणः पश्चिम घाट आणि श्रीलंका

### उपयोग

- 1. **खाण्यायोग्य फळ**: ताजे खाल्ले जाते किंवा कस्टर्ड, आइस्क्रीम आणि पेयांमध्ये वापरले जाते.
- 2. **पारंपारिक औषध**: स्थानिक पारंपारिक औषध पद्धतीमध्ये वापरले जाते.
- 3. **सौंदर्यप्रसाधन**: त्याच्या आकर्षक फुलांसाठी आणि फळांसाठी लागवड.
- 4. व्यावसायिक लागवड: खाण्यायोग्य फळांसाठी व्यावसायिक लागवड केली जाते.

### मनोरंजक तथ्ये

- 1. **परागकण संरचना**: परागकण स्थायी चौकड्यांसारखे टाकले जातात.
- 2. **फळाचे स्वरूप**: फळाच्या पृष्ठभागावर दबावांमुळे जुळलेल्या स्वरूपाचा फळ.
- 3. **लागवड**: झाड लागवडीच्या तीन वर्षांत फळ देऊ शकते.







- 4. वितरणः कैरिबियन आणि मध्य अमेरिकेतील मूळ निवासी, आता पँट्रोपिकल.
  5. सांस्कृतिक महत्त्वः विविध क्षेत्रांमध्ये बुलॉकचे हृदय आणि शुगर ॲपल अशा विविध नावांनी ओळखले जाते.









\*Image Credit: Eflora of India